Approved For Release 2000/05/10 CIA-RDP78B04560A004500010023-4

PHOTOGRAPHIC INTERPRETATION REPORT

MISSION COVERAGE INDEX

NPIC/R-27/65 January 1965


MISSION

5052 - 22 JANUARY 1965



25X1A


NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4

GROUP I Excluded from automatic Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/05/19ECRIA-RDP78B04560A004500010023-4

R-27/65

PREFACE

25X1A

1

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF 5052 DATED 22 JANUARY 1965 COVERING LAGS AND CHINA.

ITEMS ARE ARRANGED IN TWO SECTIONS.

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L500 AND L509, SCALE 1/250,000, L7012, 1/50,000, AND THE ATC SERIES 200, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE


Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4

R-27/65

AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2000/05/19 ECREM DISSEM

NPIC/R-27/65



Approved For Release 2000/05/10: CIA-RDP78B04560A004500010023-4 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

Approved For Release 2000/05/10 ECQ A-RDP78B04560A004500010023-4

R-27/65

	Target	Coordinates	WAC	Target Numbers		
	l arget	Coordinates	WAC .	BE	NPIC	
•	-CHINA- MILITARY INSTALLATIONS MO-TA-CHING, PROBABLE MILITARY CAMPS TWO MILITARY CAMPS (REFERENCED FROM MO-TA- CHING). CAMP A (1.7 NM EAST) TRENCH-SECURED, ROAD-SERVED CAMP CONTAINS APPROXIMATELY 9 BARRACKS-TYPE AND APPROXIMATELY 9 SUPPORT-TYPE BUILDINGS.	2114N 1Ø143E	Ø616		57	
25X1D 25X1D	CAMP B (0.2 NM NW) WALL-SECURED CAMP CONTAINS 4 BUILDINGS. A PROBABLE PARADE GROUND IS LOCATED IMMEDIATELY SE OF CAMP. CHA-LUNG AREA, MILITARY CAMP 1.8 NM SW OF CHA-LUNG. UNSECURED CAMP CONTAINS 7 BARRACKS AND 5 SMALL SUPPORT BUILDINGS. A SMALL STRONGPOINT WITH 1 AW POSITION OBSERVED IMMEDIATELY WEST OF CAMP.	2117N 10132E	Ø616		15 ~ G	
25X1D 25X1D 25X1A 25X1D	MENG-LA ARMY BARRACKS WEST NO APPARENT CHANGE SINCE MISSION IN CLOUD-FREE AREAS. COMOR TARGET NO	2128N 1Ø134E	Ø616	25X1A	15-B	
20/(18	MENG~PAN, PROBABLE BARRACKS AREA Ø⊋1:NM SOUTH OF MENG÷PAN.	2144N 1Ø139E	Ø616		58	

Approved For Release 2000/05/10 - CIA-RDP78B04560A004500010023-4

NO FOREIGN DISSEM

R-27/65

Target Numbers Target Coordinates WAC BE NPIC UNSECURED PROBABLE BARRACKS AREA CONTAINS 5 BARRACKS, 2 SUPPORT, AND 1 H-SHAPED MESSHALL BUILDING, AND 4 SMALL SHEDS. A SMALL STORAGE AREA IMMEDIATELY SW CONTAINS 11 SMALL STORAGE BUILDINGS. 25X1D MAN-PIEN, MILITARY CAMP 2228N 1Ø131E 0616 38 ON WEST EDGE OF MAN-PIEN. PARTIALLY SECURED CAMP CONTAINS 4 BARRACKS, 1 H-SHAPED MESSHALL, AND 3 SMALL SUPPORT BUILDINGS. 25X1D BASIC SERVICES MENG-LA/VIENG POU KHA ROAD 2128N 10134E Ø616 15-D ROAD CONSTRUCTION CONTINUES FROM MENG-LA TO THE SE. NATURAL SURFACE ROAD NOW EXTENDS TO 21-12N 104-42E, 0.5 NM SE OF TA-KU-CHANG. CONSTRUCTION CONTINUES TO THE SOUTH. 25X1D -LAOS-AIR INSTALLATIONS BAN TA HOU AIRFIELD 2035N 10037E Ø556 49-B AT BAN TA HOU. 1.700 X 100 FT NE/SW GRADED EARTH RUNWAY, SERVICEABLE. FACILITIES INCLUDE A SMALL PARKING APRON AND APPROXIMATELY 6 SUPPORT BUILDINGS.

Approved For Release 2000/05/10 ECQLA-RDP78B04560A004500010023-4

R-27/65

	Target	Coordinates	WAC	Target Numbers		
	raigei	Coordinates	WAC	BE	NPIC	
25X1D	AIRCRAFT NONE OBSERVED. BAN TA HOU AIRFIELD NW 2 NM NW OF BAN TA HOU. 1.000 X 90 FT E/W GRADED EARTH RUNWAY, SERVICEABLE. FACILITIES INCLUDE A SMALL PARKING APRON AND 6 SUPPORT BUILDINGS.	2036N 10036E	Ø556		4 9-A	
25X1D	SMALL VILLAGE ADJACENT TO WEST END OF RUNWAY. AIRCRAFT NONE OBSERVED.					
25X1D	BAN HAU TIA LANDING STRIP WEST EDGE OF BAN HAU TIA. 800 X 70 FT NW/SE GRADED EARTH RUNWAY, SERVICEABLE. AIRCRAFT NONE OBSERVED.	2039N 10038E	Ø556	25X1A	49	
	MUONG MOUNGNE AIRFIELD NE EDGE OF MOUNG MOUNGE. TWO SOD RUNWAYS, SERVICEABLE. (1) 1,800 X 70 FT:N/S, AND (2) 2,125 X 70 FT:NE/SW. FACILITIES INCLUDE A SMALL PARKING AREA ON SOUTH SIDE OF RUNWAY (2). AIRCRAFT NONE OBSERVED.	2044N 10029E	Ø556		51	
25X1D	MUONG HOUN AIRFIELD ### ### ### ### ### ### ### ### ### #	2008N: 10127E	Ø616		493	
25/10						

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4 SECRET NO FOREIGN DISSEM

R-27/65

ſ	Target	Coordinates	WAC	Target Numbers		
	l argei	Coordinates		""	BE	NPIC
25X1D	LUONG NAM THA AIRFIELD Ø.5 NM NORTH OF LUONG NAM THA. APPROXIMATELY 4,400 X 350 FT N/S SOD RUNWAY, SERVICEABLE. FACILITIES INCLUDE 4 SUPPORT BUILDINGS. AIRCRAFT NONE OBSERVED.	2057N	1Ø125E	Ø616	25X1A	121
	MILITARY INSTALLATIONS					
	BAN SOD LUANG AREA, STRONGPOINT LEFT BANK OF NAM THA (RIVER), 6.3 NM WSW OF BAN SOD LUANG. ENTRENCHED CIRCULAR STRONGPOINT CONTAINS 3 SUPPORT BUILDINGS AND OVERLOOKS ROUTE 3 BETWEEN BAN SAO LUANG AND BAN PHOUNG.	2026N	10053E	Ø556		6Ø
25X1D						
	MUONG LUONG NAM THA, MILITARY AREA SE EDGE OF MUONG LUONG NAM THA. WALLED RECTANGULAR MOATED FORT AND SEVERAL PERSONNEL TRENCHES. FACILITIES INCLUDE 4 GUARD TOWERS, 1 ADMINISTRATION AND 6 SUPPORT BUILDINGS.	2057N	1Ø128E	Ø616		121-A
25X1D						
	MUONG OU TAY, MILITARY CAMP Ø.2 NM NORTH OF MUONG OU TAY. WALLED MILITARY CAMP CONTAINS 7 BUILDINGS AND 1 SHED.	22Ø7N	10148E	Ø616		127-В
25X1D						

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4 SECTION II THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

25X1D Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010023-4

NO FOREIGN DISSEM

NPIC/R-27/65

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame $\!(s)\!$ on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

Approved For Release 2000/05/150ECRETA-RDP78B04560A004500010023-4